

ACCR REPORTABLE LIST

ICD-9 Casefinding Codes for ICD-O-3 Reportable Diseases

Any reportable neoplasms diagnosed on or after January 1, 1996 should be reported to the Arkansas Central Cancer Registry.

Reportable Neoplasms:

- Malignant neoplasms (exclusions noted below)
- Benign and borderline neoplasms of the central nervous system (cases diagnosed on or after January 1, 2004)
- Carcinoma in-situ (exclusions noted below)
- Carcinoid, NOS (excluding appendix, unless stated to be malignant)
- Pilocytic/juvenile astrocytoma is listed as 9421/1 in ICD-O-3, is reportable, and should be coded 9421/3.
- Squamous intraepithelial neoplasia grade III of vulva (**VIN**), vagina (**VAIN**), and anus (**AIN**) beginning with 2001 cases.

■ Primary tumors that originate in a mucous membrane **are reportable** and include the following:

Lip	C00.1-C00.9	Vulva	C51.9
Anus	C21.0	Vagina	C52.9
Labia	C51.0-C51.1	Prepuce	C60.0
Clitoris	C51.2	Penis	C60.1-C60.9
Scrotum	C63.2		

Non-Reportable Neoplasms

The following are **exclusions** and **do not** need to be reported to ACCR

Morphology Codes	Diagnosis/Terminology
8000-8004	Neoplasms, malignant, NOS of skin
8010/2	Carcinoma in-situ of cervix (CIS)
8010-8045	Epithelial carcinomas of the skin
8050-8084	Papillary and squamous cell carcinoma of the skin
8077/2	Squamous Intraepithelial Neoplasia, grade III of cervix (CIN III)
8090-8110	Basal cell carcinoma of the skin
8148/2	Prostatic Intraepithelial Neoplasia

NOTE:

■ Borderline cystadenomas M-8442, 8451, 8462, 8472, 8473 of the ovaries which moved from /3 to /1 are **NOT** collected as of 1/1/2001.

The following lists are intended to assist in reportable neoplasm casefinding activities that are performed in casefinding sources that use ICD-9-CM* codes to classify the diagnoses. Any reportable neoplasms diagnosed on or after January 1, 1996 should be reported to the Arkansas Central Cancer Registry

*

042	AIDS with specified malignant neoplasms
140.0-208.9	Malignancies (primary and secondary)
209.0-209.30	Neuroendocrine tumors
230.0-234.9	Carcinoma in-situ-all sites
238.4	Polycythemia vera (9950/3)*
238.6	Solitary plasmacytoma (9731/3)*
238.6	Extramedullary plasmacytoma (9734/3)*
238.7	Chronic myeloproliferative disease (9960/3)*
238.76	Myelosclerosis/Myelofibrosis with myeloid metaplasia (9961/3)*
238.71	Essential thrombocythemia (9962/3)*
238.7	Refractory cytopenia w/multilineage dysplasia (9985/3)*
238.72	Myelodysplastic syndrome w/5q – syndrome (9986/3)*
238.7	Therapy related myelodysplastic syndrome (9987/3)*
273.2	Gamma Heavy Chain Disease; Franklins Disease
273.3	Waldenstrom's macroglobulinemia
285.0	Refractory Anemia w/ringed sideroblasts (9982/3)*
285.0	Refractory Anemia w/excess blasts (9983/3)*
285.0	Refractory Anemia w/excess blasts in transformation (9984/3)*
288.3	Hypereosinophilic syndrome (9964/3)*
289.89	Acute myelofibrosis (9932/3)*
789.51	Malignant ascites
<u>Benign Brain Tumor Codes</u>	
225.0	Benign neoplasm of brain
225.1	Benign neoplasm of cranial nerves
225.2	Benign neoplasm of cerebral meninges; cerebral meningioma
225.3	Benign neoplasm of spinal cord, cauda equina
225.4	Benign neoplasm of spinal meninges; spinal meningioma
225.8	Benign neoplasm of other specified sites of nervous system
225.9	Benign neoplasm of nervous system, part unspecified
227.3	Benign of pituitary, craniopharyngeal duct, craniobuccal pouch, hypophysis, rathke's pouch, sella turcica
227.4	Benign neoplasm of pineal gland, pineal body
237.0	Neoplasm of uncertain behavior of pituitary gland and craniopharyngeal duct
237.1	Neoplasm of uncertain behavior of pineal gland
237.5	Neoplasm of uncertain behavior brain and spinal cord
237.6	Neoplasm of uncertain meninges: NOS, cerebral, spinal
237.70	Neurofibromatosis, Unspecified von Recklinghausen's Disease
237.71	Neurofibromatosis, Type One von Recklinghausen's Disease

237.72	Neurofibromatosis, Type Two von Recklinghausen's Disease
237.9	Neoplasm of uncertain behavior of other and unspecified parts of nervous system; cranial nerves

The following terms are synonymous with in-situ disease (Behavior code 2)

Adenocarcinoma in an adenomatous polyp with no invasion of stalk

Clark's level I melanoma or limited to epithelium

Noninfiltrating comedocarcinoma, confined to epithelium

Hutchinson's melanotic freckle NOS, intracystic-noninfiltrating, intraductal, intraepithelium NOS, intraepidermal NOS (involvement up to but not including basement membrane.)

Lentigo maligna, lobular neoplasia, lobular-noninfiltrating, noninvasive, no stromal involvement, papillary noninfiltrating or intraductal

Vaginal intraepithelial neoplasia Grade III or VAIN III

Vulvar intraepithelial neoplasia Grade III or VIN III

Anal intraepithelial neoplasia Grade III or AIN III

- ◇ If any invasion is present, no matter how limited – cases must be coded to invasive behavior
- ◇ If other benign or borderline disease are required to be collected by your hospital cancer committee or other appointed officials, they are not required to be reported to ACCR.

Revised: 10/01/08